



(20 characters × 2 line)

1. DIMENSIONAL OUTLINE



2. BLOCK DIAGRAM



3. MECHANICAL SPECIFICATIONS

ITEM	SPECIFICATIONS	UNIT	REMARK
DIMENSIONAL OUTLINE	116.0(W) × 37.0(H) × 10.0/14.5Max. (T)	mm	*REFERENCE DIMENSIONAL OUTLINE
VIEWING AREA	83.0(W) × 18.6(H)		
CHARACTER PITCH	3.8(W) × 5.95(H)		
CHARACTER SIZE	3.2(W) × 5.55(H)		
NUMBER OF CHARACTERS	20 CHARACTERS × 2 LINES	-	
DOT PITCH	0.65(W) × 0.70(H)	mm	
DOT SIZE	0.60(W) × 0.65(H)	mm	

4. ELECTRICAL CHARACTERISTICS (Ta=25°C, V_{DD}=5.0V ± 0.25V)

ITEM	SYMBOL	CONDITION	MIN	TYPE	MAX.	UNIT
INPUT HIGH VOLTAGE	V _{IH}	-	2.2V	-	V _{DD}	V
INPUT LOW VOLTAGE	V _{IL}	-	-0.3	-	0.6	V
OUTPUT HIGH VOLTAGE	V _{OH}	-I _{OH} =0.1mA	2.4	-	-	
OUTPUT LOW VOLTAGE	V _{OL}	I _{OL} =0.1mA	-	-	0.4	
SUPPLY CURRENT	I _{DD}	V _{DD} =5.0V	-	3.0	5.0	mA
OPERATING VOLTAGE FOR LCD	V _{DD} -V ₀	Ta=25°C STN	-	5.0	-	V
		TN	-	5.0	-	V